



SEQUENCE LISTING

<110> INSTITUT DE RECHERCHES CLINIQUES DE MONTREAL
DROUIN, Jacques
PHILIPS, Alexandre
MAIRA, Mario

<120> NUR-RE A RESPONSE ELEMENT WHICH BINDS NUR NUCLEAR
RECEPTORS AND METHOD OF USE THEREFOR

<130> 480848.90018

<140> 09/319,782

<141> 1997-12-12

<150> CA97/00962

<151> 1997-12-12

<150> 2,192,754

<151> 1996-12-12

<160> 33

<170> PatentIn Ver. 2.1

<210> 1

<211> 8

<212> DNA

<213> Murinae gen. sp.

<400> 1

aaaggtca

8

<210> 2

<211> 24

<212> DNA

<213> Murinae gen. sp.

<400> 2

gtgatattta cctccaaatg ccag

24

<210> 3

<211> 6

<212> DNA

<213> Murinae gen. sp.

<400> 3

aggtca

6

<210> 4

<211> 28

<212> DNA

<213> Murinae gen. sp.

<400> 4

gatacctcgtg cgaaaagggtc aagcgcta

28

<210> 5
<211> 33
<212> DNA
<213> Murinae gen. sp.

<400> 5
gatcctagtg atattttacct ccaaagcca gga 33

<210> 6
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 6
tgacctttat tctcaaaggt ca 22

<210> 7
<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 7
aaatatca 8

<210> 8
<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 8
aaatgcca 8

<210> 9
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<400> 9
gtgatatttn nnnnnaaatg ccag 24

<210> 10
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 10
tgatatttnn nnnnaaatgc ca 22

<210> 11
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<400> 11
gtgatatttn nnnnnaaata tcac 24

<210> 12
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 12
tgatatttnn nnnnaaatat ca 22

<210> 13
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<400> 13
ctggcatttn nnnnnaaatg ccag 24

<210> 14
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 14
tggcatttnn nnnnaaatgc ca

22

<210> 15
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 15
ntgaccttnn nnnnnaaagg tcan

24

<210> 16
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or G

<400> 16
tgaccttnn nnnnaaaggt ca

22

<210> 17
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (4)
<223> N = A or G

<220>
<221> variation

<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or G

<220>
<221> variation
<222> (20)
<223> N = A or G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 17
ntgnyatttn nnnnnaaatn ycan

24

<210> 18
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (3)
<223> N = A or G

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or G

<220>
<221> variation
<222> (19)
<223> N = A or G

<400> 18
tgnyatttnn nnnnaaatny ca

22

<210> 19
<211> 24
<212> DNA
<213> Murinae gen. sp.

<400> 19
gtgatattta cctccaaatg ccag

24

<210> 20
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 20
tgatatttac ctccaaatgc ca

22

<210> 21
<211> 24
<212> DNA
<213> Murinae gen. sp.

<400> 21
gtgatatttta cctccaaata tcac 24

<210> 22
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 22
tgatattttac ctccaaatat ca 22

<210> 23
<211> 24
<212> DNA
<213> Murinae gen. sp.

<400> 23
ctggcatttta cctccaaatg ccag 24

<210> 24
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 24
tggcattttac ctccaaatgc ca 22

<210> 25
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 25
ntgaccttta cctccaaagg tcan 24

<210> 26
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 26

tgacctttac ctccaaaggt ca

22

<210> 27
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (4)
<223> N = A or G

<220>
<221> variation
<222> (20)
<223> N = A or G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 27
ntgnyattta cctccaaatn ycan

24

<210> 28
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (3)
<223> N = A or G

<220>
<221> variation
<222> (19)
<223> N = A or G

<400> 28
tgnyatttac ctccaaatny ca

22

<210> 29
<211> 6
<212> DNA
<213> Murinae gen. sp.

<400> 29
tgacct

6

<210> 30

<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 30
tgatattt

8

<210> 31
<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 31
tggcattt

8

<210> 32
<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 32
tgaccttt

8

<210> 33
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 33
tgacctttat tctcaaaggt ca

22